

# Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 9

## **TECHNOMELT DORUS KS 351**

SDS No. : 222797 V005.0 Revision: 06.04.2023 printing date: 11.08.2023 Replaces version from: 20.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TECHNOMELT DORUS KS 351

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Wood adhesives

## 1.3. Details of the supplier of the safety data sheet

Henkel Ltd Adhesives Wood Lane End HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkeladhesives.com. SDSinfo.Adhesive@henkel.com

SDSinfo.Adhesive@henkel.com

## **1.4. Emergency telephone number**

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY-Email: technical.services@henkel.co.uk

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

## 2.2. Label elements

## Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

## 2.3. Other hazards

None if used properly.

Following substances are present in a concentration  $\geq$  the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration  $\geq$  the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Contains no dangerous substances exceeding the limits of the EU-Regulation

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation: Move to fresh air, consult doctor if complaint persists.

Skin contact:

Molten product. After skin contact cool down immediately with cold water. Do not remove adherent product. Seek medical advice.

Eye contact: After contact with the hot melt: cool with water, seek medical attention.

Ingestion: Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

**4.3.** Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

**Suitable extinguishing media:** All common extinguishing agents are suitable.

**Extinguishing media which must not be used for safety reasons:** High pressure waterjet

**5.2. Special hazards arising from the substance or mixture** In case of fire toxic gases can be released.

**5.3. Advice for firefighters** Wear self-contained breathing apparatus. Wear protective equipment.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures** Wear protective equipment.

#### **6.2.** Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Allow to solidify. Remove mechanically. Dispose of contaminated material as waste according to Section 13.

#### 6.4. Reference to other sections

See advice in section 8

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Hygiene measures:

Do not eat, drink or smoke while working. Wash hands before work breaks and after finishing work.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture and light. Ensure good ventilation/extraction. Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

Wood adhesives

**SECTION 8: Exposure controls/personal protection** 

## 8.1. Control parameters

#### **Occupational Exposure Limits**

Valid for

Great Britain

Ingredient [Regulated substance]	ррт	mg/m <sup>3</sup>	Value type	Short term exposure limit category / Remarks	Regulatory list
[DUST, INHALABLE DUST]		10	Time Weighted Average (TWA):		EH40 WEL
[DUST, RESPIRABLE DUST PARTÍCULAS (INSOLUBLES O POCO SOLUBLES) NO ESPECIFICADAS DE OTRA FORMA, FRACCIÓN RESPIRABLE]		4	Time Weighted Average (TWA):		EH40 WEL

### **Occupational Exposure Limits**

Valid for

Ireland

Ingredient [Regulated substance]	ррт	mg/m <sup>3</sup>	~ 1	Short term exposure limit category / Remarks	Regulatory list
[DUSTS NON-SPECIFIC]		10	Time Weighted Average (TWA):		IR_OEL
[DUSTS NON-SPECIFIC]		4	Time Weighted Average (TWA):		IR_OEL

#### Biological Exposure Indices: None

#### 8.2. Exposure controls:

Engineering controls: Ensure good ventilation/extraction.

Respiratory protection:

In case of dust formation, we recommend wearing of appropriate respiratory protection equipment with particle filter P (EN 14387).

This recommendation should be matched to local conditions.

Hand protection: Wear heat resistance gloves while working with the hot melt (EN 407).

Eye protection: Protective goggles Protective eye equipment should conform to EN166.

Skin protection: Wear protective equipment. Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

Use only personal protection that's CE-labelled according to Directive 89/686/EEC (Europe) or to Regulation No. 819 of 19 August 1994 (Norway), or equivalent.

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Delivery form	Granulate
Colour	light yellow
Odor	Acetic acid medium
Physical state	solid
Melting point	107 °C (224.6 °F)
Solidification temperature	Not applicable, Product is a solid.
Initial boiling point	Not applicable, Decomposes before boiling point is reached
Flammability	The product is not flammable.
Explosive limits	Not applicable, Product is a solid.
Flash point	Not applicable, Product is a solid.
Auto-ignition temperature	Not applicable, Product is a solid.
Decomposition temperature	Not applicable, Substance/mixture is not self-reactive, no organic
pH	peroxide and does not decompose under foreseen conditions of use Not applicable, Product is non-soluble (in water).
1	
Viscosity (kinematic)	Not applicable, Product is a solid.
Viscosity, dynamic	65.000 - 90.000 mPa.s Dorus-method 501; viscosity Brookfield
(Brookfield; 200 °C (392 °F); speed of rotation: 10	
min-1; Spindle No: 29)	Insoluble
Solubility (qualitative)	Insoluble
(20 °C (68 °F); Solvent: Water) Partition coefficient: n-octanol/water	Not applicable
Fartition coefficient. II-octanol/water	Not applicable Mixture
Vapour pressure	< 0.1  hPa
(20 °C (68 °F))	< 0,1 m d
Density	1,04 g/cm3 no method / method unknown
(20 °C (68 °F))	1,04 g/ems no method / method unknown
Relative vapour density:	Not applicable, Product is a solid.
Particle characteristics	Particle Size Not applicable Product is not powder.

Other information not applicable for this product

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

None if used for intended purpose.

**10.2. Chemical stability** Stable under recommended storage conditions.

#### **10.3. Possibility of hazardous reactions** See section reactivity

**10.4. Conditions to avoid** None if used for intended purpose.

**10.5. Incompatible materials** None if used properly.

10.6. Hazardous decomposition products

No decomposition if used according to specifications.

## **SECTION 11: Toxicological information**

## General toxicological information:

An allergic reaction cannot be excluded after repeated skin contact.

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity:

No data available.

#### Acute dermal toxicity:

No data available.

### Acute inhalative toxicity:

No data available.

### Skin corrosion/irritation:

No data available.

## Serious eye damage/irritation:

No data available.

### Respiratory or skin sensitization:

No data available.

## Germ cell mutagenicity:

No data available.

### Carcinogenicity

No data available.

## **Reproductive toxicity:**

No data available.

## STOT-single exposure:

No data available.

## STOT-repeated exposure:

No data available.

## Aspiration hazard:

No data available.

## 11.2 Information on other hazards

not applicable

## **SECTION 12: Ecological information**

### **General ecological information:** Do not empty into drains, soil or bodies of water.

## 12.1. Toxicity

## Toxicity (Fish):

No data available.

## Toxicity (aquatic invertebrates):

No data available.

## Chronic toxicity (aquatic invertebrates):

No data available.

### Toxicity (Algae):

No data available.

## Toxicity (microorganisms):

No data available.

No data available.

#### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

## 12.6. Endocrine disrupting properties

not applicable

#### 12.7. Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

	SECTION 14: Transport information
14.1.	UN number or ID number
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.2.	UN proper shipping name
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.3.	Transport hazard class(es)
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.4.	Packing group
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.5.	Environmental hazards
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.6.	Special precautions for user
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.7.	Maritime transport in bulk according to IMO instruments
	not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and o	environmental regulations/legislation specific fo	r the substance or mixture
Ozone Depleting Substar	ce (ODS) (Regulation (EC) No 1005/2009):	Not applicable
Prior Informed Consent (PIC) (Regulation (EU) No 649/2012):		Not applicable
Persistent organic polluta	nts (Regulation (EU) 2019/1021):	Not applicable
VOC content	0 %	
(2010/75/EU)		

## 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

ED:	Substance identified as having endocrine disrupting properties
EU OEL:	Substance with a Union workplace exposure limit
EU EXPLD 1:	Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2	Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC:	Substance of very high concern (REACH Candidate List)
PBT:	Substance fulfilling persistent, bioaccumulative and toxic criteria
PBT/vPvB:	Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very
	bioaccumulative criteria
vPvB:	Substance fulfilling very persistent and very bioaccumulative criteria

#### Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

#### Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.