

SAFETY DATA SHEET GARD PC 800

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GARD PC 800

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Panel Cleaner & Release

1.3. Details of the supplier of the safety data sheet

Supplier LARRAGARD LIMITED

Chapel Lane Heckmondwike West Yorkshire WF16 9JP

Tel: +44 (0) 1924 403550 Fax: +44 (0) 1924 400999

Email: technical@gardchemicals.com

1.4. Emergency telephone number

Emergency telephone Tel: +44 (0)1924 403550 (Office Hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Asp. Tox. 1 - H304

Environmental hazards Not Classified

Classification (67/548/EEC or Xn;R65. R66.

1999/45/EC)

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/ container in accordance with national regulations.

Contains

GARD PC 800

Contains HYDROCARBONS

Supplementary precautionary P405 Store locked up.

statements

2.3. Other hazards

Hazard id 2a

Hazard ID 2A

"Hazard ID 2A"

Hazard

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROCARBONS >60%

CAS number: 64742-47-8 EC number: Proprietary

Classification Classification (67/548/EEC or 1999/45/EC)

Asp. Tox. 1 - H304 Xn;R65. R66.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Ingredient notes MIXTURE OF SUBSTANCES LISTED ABOVE WITH NON-HAZARDOUS ADDITIONS.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

Inhalation Move affected person to fresh air at once. Move affected person to fresh air and keep warm

and at rest in a position comfortable for breathing.

Ingestion Do not induce vomiting. Get medical attention immediately. If vomiting occurs, the head

should be kept low so that vomit does not enter the lungs.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Upper respiratory irritation. Irritation of nose, throat and airway. Nausea, vomiting.

Unconsciousness and convulsions can occur.

Ingestion Harmful if swallowed. May cause discomfort if swallowed. Nausea, vomiting. Central nervous

system depression. The product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48

hours).

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

GARD PC 800

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion products may include the following

substances: Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and

watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate

ventilation. No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions

Environmental precautions

Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid inhalation of vapours and spray/mists. Provide adequate ventilation. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Storage tanks and other containers must be earthed. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Earth container and transfer equipment to

eliminate sparks from static electricity. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from the following materials: Acids. Oxidising materials.

Suitable container materials: Mild steel. Stainless steel.

7.3. Specific end use(s)

Usage description Storage tanks must be positioned within a bunded area.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

GARD PC 800

HYDROCARBONS

Long-term exposure limit (8-hour TWA): OEL 1200 mg/m³
OEL = Occupational Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure

limits for the product or ingredients.

Personal protection Do not allow material to contaminate groundwater system.

Eye/face protection Wear chemical splash goggles. Manufactured/Tested in accordance with EN 166.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. Gloves are recommended for prolonged use. Manufactured/Tested in accordance with EN 374. Aliphatic hydrocarbon resistant gloves.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures Provide eyewash station and safety shower. Use engineering controls to reduce air

contamination to permissible exposure level. Wash promptly with soap and water if skin becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each

work shift and before eating, smoking and using the toilet.

Respiratory protection In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear liquid.

Odour Slight. Hydrocarbons.

Initial boiling point and range 180 - 240°C

Flash point Not applicable.

Relative density ~0.76 @ 15°C

Solubility(ies) Soluble in solvents

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Strong oxidising agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Reacts with strong oxidising agents. Hazardous Polymerisation. Not relevant.

GARD PC 800

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition Oxides of carbon. Thermal decomposition or combustion products may include the following

products substances: Aldehydes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Respiratory sensitisation

Respiratory sensitisation There is no evidence that the product can cause respiratory hypersensitivity.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Negative.

Genotoxicity - in vivo

Negative.

Carcinogenicity

Carcinogenicity Carcinogenicity in humans is not expected.

Specific target organ toxicity - single exposure

STOT - single exposure No adverse effects known.

Aspiration hazard

Aspiration hazard Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

General information Prolonged contact may cause dryness of the skin.

Inhalation Vapour may irritate respiratory system/lungs. Central nervous system depression.

Ingestion Harmful if swallowed. May cause discomfort if swallowed. Nausea, vomiting. Diarrhoea. Risk

of severe pulmonary problems in case of accidental aspiration.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact May cause temporary eye irritation.

Toxicological information on ingredients.

HYDROCARBONS

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 5,000.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD50 5,000.0

mg/kg)

Species Rabbit

GARD PC 800

Acute toxicity - inhalation

Acute toxicity inhalation

n 5,000.0

(LC₅₀ vapours mg/l)

Species Rat

ATE inhalation (vapours

5,000.0

mg/l

SECTION 12: Ecological Information

12.1. Toxicity

Ecological information on ingredients.

HYDROCARBONS

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: > 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

LC₅₀, 96 hours: >1000ppm mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC $_{50}$, 48 hours: > 1000 mg/l, Daphnia magna

EC₅₀, 48 hours: >250ppm mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 20ppm mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Unlikely to pose a significant hazard to aquatic life.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

GARD PC 800

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Quality Assurance: Larragard Limited, Conforms to ISO 9001: 2008 Cert. No. 14130209

Environmental Standard: Larragard Limited, Conforms to ISO 14001 : 2004 Cert No.

14124144

Occupational Health and Safety Management Systems: Larragard Limited, Conforms to

OHSAS 18001: 2007 Cert No. 14124145

Revision date 27/04/2017

SDS number 20569

Risk phrases in full R53 May cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

Hazard statements in full H304 May be fatal if swallowed and enters airways.

Uses Advised Against: The product should not be used for any other purpose other than its intended use. Handling, storage and conditions to avoid instructions must be followed at all times. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.